

Message

From: Moore, Kendall [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=0CFF78ADCDD84345AFED2F5F6BE9F54F-KOMOORE]
Sent: 3/30/2017 3:06:43 PM
To: Star, David [star.david@epa.gov]
Subject: RE: PCB testing for Sky Valley Education Center

That's correct. You can report that the incidence of illnesses reported by teachers and students appears to be greatly reduced this year. Last school year over 80 teachers and students reported illnesses they attributed to conditions in school. So far this year there have been no reports of illnesses due to building conditions. With the exception Ex. 6 Personal Privacy (PP) all parents and teachers report being pleased with the efforts taken to improve conditions at the school. Prior to my site visit I plan to meet with Ex. 6 Personal Privacy (PP) to hear their concerns.

From: Star, David
Sent: Wednesday, March 29, 2017 4:48 PM
To: Moore, Kendall <moore.kendall@epa.gov>
Subject: RE: PCB testing for Sky Valley Education Center

Let's get this travel into Travel Tracker and Concur – thank you.

Anything in particular that we need to manage up on our end. It appears that you want to inspect and take note of an electrical equipment room that they didn't inform you about during your previous inspections – correct?

Dave Star

PTCS/CMB/LCD/EPA R5
312-886-6009
(LC-17J)(17034)

From: Moore, Kendall
Sent: Wednesday, March 29, 2017 9:12 AM
To: Mannix, John <mannixj@monroe.wednet.edu>; Kevin Plemel <kplemel@snohd.org>
Cc: Piplic, Devlin <piplicd@monroe.wednet.edu>; Jeff Ketchel <jketchel@snohd.org>; Amanda Zych <azych@snohd.org>; Mullin, Michelle <Mullin.Michelle@epa.gov>; Ramanauskas, Peter <ramanauskas.peter@epa.gov>; Peachey, Robert <peachey.robert@epa.gov>; Deka Smith <smithf@monroe.wednet.edu>; Gary Goldbaum <ggoldbaum@snohd.org>; Peter Mayer <pmayer@snohd.org>; Sasnow, Zachary <sasnow.zachary@epa.gov>
Subject: Re: PCB testing for Sky Valley Education Center

All, I am planning to be on site during the next round of air sampling that I believe is scheduled for the week of April 10th. I'll work with Devlin on schedules and logistics. My objectives will be:

- oversee this round of air sampling
- inspect the equipment in the electrical rooms
- collect samples as needed in the electrical rooms

Prior to my visit I'd like to have a conference call with Ex. 6 Personal Privacy (PP) about our sampling protocols. The purpose of the call is simply to hear their concerns to ensure we aren't

missing something. Can the school district set this call up for this week or early next week? I'll adjust my schedule to accommodate the most convenient time. Ex. 6 Personal Privacy (PP) Others are welcome to join if available. Thanks
